



KONICA MINOLTA

OFFICE SYSTEMS LINE-UP

September 2016



Giving Shape to Ideas

LINE-UP
OFFICE SYSTEMS

WORKING ENVIRONMENTS IN STEP WITH TODAY'S WORLD

✦ Making offices more efficient

From small businesses to big enterprises, companies today strive to find the individual document solution best suited to their specific and diverse business needs. The comprehensive services, systems and solutions that Konica Minolta provides cover the requirements of the entire document life cycle in the office. Our exclusively designed range of highly efficient and perfectly compatible multifunctionals extends from entry-level office devices, including laser printers and small all-in-ones, to cutting-edge, high-performance production printing systems. Naturally, you always have the choice of colour as well as monochrome alternatives.

In combination with intelligent software applications, the innovative multifunctional systems from Konica Minolta bring together both digital and paper-based worlds. They therefore accommodate all the demands of the modern business with smooth workflows that help companies save time and money. Our competent solutions effectively enhance and accelerate our customers' business development.

✦ The complete document life cycle

Printing is only one part of the document life cycle. We know there's more to it – for instance document creation, archiving and retrieval. Information is an essential "resource", but you can only exploit its full potential by viewing the document life cycle as a whole. black and white.

✦ Intelligent document creation

Our multifunctional systems are not only good at printing and copying. They are also brilliant at handling all kinds of media: formats ranging from A6 to SRA3, paper weights from 52 to 300 gsm, user-defined formats and banners up to a striking 1.2 metres in length. And yet there is so much more you can do with Konica Minolta bizhub systems: scan in paper documents, perform text recognition and output forms and bar codes – functions like these provide the perfect basis for automatic forwarding, editing and archiving.

✦ Highly efficient scanning and faxing

Quick and easy scanning has become an indispensable part of everyday office life. Once digitised, you can transfer documents directly to an electronic mailbox, an archive, a USB stick or an FTP server. And to save paper, why not send and receive your faxes directly via your PC?

✦ Simply perfect print quality

Enjoy high-quality printouts thanks to Konica Minolta's very own Simitri® HD (high definition) polymerised toner! You will appreciate the significantly lower electricity bill, which is down to the reduced fusing temperature and lower power consumption.

✦ All's well that ends well – with professional finishing

From stapling and folding right through to brochures that are ready to go, the Konica Minolta range of products and integrated solutions gives you an extensive choice of professional finishing functions. All you need to do is pick the right one for you!



Multifunctional systems 4

Colour

| | |
|-------------------|----|
| A4 bizhub C3110 | 4 |
| A4 bizhub C3350 | 5 |
| A4 bizhub C3850 | 6 |
| A4 bizhub C3850FS | 7 |
| A3 bizhub C227 | 8 |
| A3 bizhub C258 | 9 |
| A3 bizhub C287 | 10 |
| A3 bizhub C308 | 11 |
| A3 bizhub C368 | 12 |
| A3 bizhub C458 | 13 |
| A3 bizhub C558 | 14 |
| A3 bizhub C654e | 15 |
| A3 bizhub C658 | 16 |
| A3 bizhub C754e | 17 |

B/W

| | |
|----------------|----|
| A4 bizhub 3320 | 18 |
| A4 bizhub 4020 | 19 |
| A4 bizhub 4050 | 20 |
| A4 bizhub 4750 | 21 |
| A3 bizhub 185 | 22 |
| A3 bizhub 226 | 23 |
| A3 bizhub 227 | 24 |
| A3 bizhub 266 | 25 |
| A3 bizhub 284e | 26 |
| A3 bizhub 287 | 27 |
| A3 bizhub 306 | 28 |
| A3 bizhub 364e | 29 |
| A3 bizhub 367 | 30 |
| A3 bizhub 454e | 31 |
| A3 bizhub 554e | 32 |
| A3 bizhub 654e | 33 |
| A3 bizhub 758 | 34 |

Printers 35

Colour

| | |
|------------------|----|
| A4 bizhub C3100P | 35 |
|------------------|----|

B/W

| | |
|-----------------|----|
| A4 bizhub 3301P | 37 |
| A4 bizhub 4000P | 38 |
| A4 bizhub 4700P | 39 |





bizhub C3110

▸ Colour ▸ A4 ▸ up to 31 ppm

Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax

Finishing functionalities



Duplex



Technical specifications

SYSTEM SPECIFICATIONS

| | |
|---|---|
| System memory (standard/max) | 1,024 MB/2,048 MB |
| System hard disk | 320 GB (optional) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity (standard/max) | 350 sheets/850 sheets |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,200 x 1,200 dpi 600 x 600 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS (optional) |
| Mobile printing | AirPrint (iOS); Mopria (Android); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|------------------------------------|--|
| Scan speed (mono/colour) | Up to 30 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; encrypted PDF Optional: XPS, PDF/A (1b) |

COPIER SPECIFICATIONS

| | |
|--|-----------------|
| Copy/print speed A4 (mono/colour) | Up to 31 ppm |
| 1st copy out time A4 (mono/colour) | 13.0/17.0 sec. |
| Warm-up time | Approx. 38 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue |
| Fax resolution | Up to 600 x 600 dpi |



bizhub C3350

▸ Colour ▸ A4 ▸ up to 33 ppm

Functionality



- Colour
- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network

Scanning



- Colour
- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax

Faxing

Finishing functionalities



Corner stapling (offline)



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

System memory 1,024 MB/2,048 MB
(standard/max)

System hard disk 320 GB (standard)

Interface 10/100/1,000-Base-T Ethernet
USB 2.0
Wi-Fi 802.11b/g/n (optional)

Printable paper size A6-A4; customised paper sizes

Printable paper weight 60-210 g/m²

Paper input capacity 650 sheets/1,650 sheets

Automatic duplexing A4; 60-210 g/m²

PRINTER SPECIFICATIONS

Print resolution 1,200 x 1,200 dpi
600 x 600 dpi

Page description language PCL 6 (XL 3.0); PCL 5c;
PostScript 3 (CPSI 3016); XPS

Mobile printing AirPrint (iOS); Mopria (Android); Google Cloud Print (optional);
WiFi Direct (optional); Konica Minolta Print Service (Android);
PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed Up to 35 ipm
(mono/colour)

Scan resolution Up to 600 x 600 dpi

File formats JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; PDF/A (1b)

COPIER SPECIFICATIONS

Copy/print speed A4 Up to 33 ppm
(mono/colour)

1st copy out time A4 9.0/10.0 sec.
(mono/colour)

Warm-up time Approx. 30 sec.

Copy resolution 600 x 600 dpi

FAX SPECIFICATIONS

Fax standard Super G3 (optional)

Fax transmission Analogue; i-Fax

Fax resolution Up to 600 x 600 dpi

bizhub C3850

Colour A4 up to 38 ppm



Functionality



- Colour
- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network

Scanning



- Colour
- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax

Faxing

Finishing functionalities



Corner stapling (offline)



Duplex



Technical specifications

SYSTEM SPECIFICATIONS

System memory 1,024 MB/2,048 MB
(standard/max)

System hard disk 320 GB (standard)

Interface 10/100/1,000-Base-T Ethernet
USB 2.0
Wi-Fi 802.11b/g/n (optional)

Printable paper size A6–A4; customised paper sizes

Printable paper weight 60–210 g/m²

Paper input capacity 650 sheets/1,650 sheets

Automatic duplexing A4; 60–210 g/m²

PRINTER SPECIFICATIONS

Print resolution 1,200 x 1,200 dpi
600 x 600 dpi

Page description language PCL 6 (XL 3.0); PCL 5c;
PostScript 3 (CPSI 3016); XPS

Mobile printing AirPrint (iOS), Mopria (Android); Google Cloud Print (optional);
WiFi Direct (optional); Konica Minolta Print Service (Android);
PageScope Mobile (iOS/Android/Windows 10 Mobile)

SCANNER SPECIFICATIONS

Scan speed Up to 35 ipm
(mono/colour)

Scan resolution Up to 600 x 600 dpi

File formats JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; PDF/A (1b)

COPIER SPECIFICATIONS

Copy/print speed A4 Up to 38 ppm
(mono/colour)

1st copy out time A4 7.2/8.1 sec.
(mono/colour)

Warm-up time Approx. 30 sec.

Copy resolution 600 x 600 dpi

FAX SPECIFICATIONS

Fax standard Super G3 (optional)

Fax transmission Analogue; i-Fax

Fax resolution Up to 600 x 600 dpi



bizhub C3850FS

Colour A4 up to 38 ppm

Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax

Finishing functionalities



Corner stapling



Duplex



Offset sorting

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|-------------------------------|
| System memory | 1,024 MB/2,048 MB |
| (standard/max) | |
| System hard disk | 320 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6–A4; customised paper sizes |
| Printable paper weight | 60–210 g/m ² |
| Paper input capacity | 650 sheets/1,650 sheets |
| (standard/max) | |
| Automatic duplexing | A4; 60–210 g/m ² |
| Finishing modes | Offset; staple |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,200 x 1,200 dpi |
| | 600 x 600 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|------------------------|--|
| Scan speed | Up to 35 ipm |
| (mono/colour) | |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; PDF/A (1b) |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 38 ppm |
| (mono/colour) | |
| 1st copy out time A4 | 9.3/10.2 sec. |
| (mono/colour) | |
| Warm-up time | Approx. 30 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub C227

Colour A3 up to 22 ppm

Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 60-256 g/m ² |
| Paper input capacity (standard/max) | 1,100 sheets/3,600 sheets |
| Automatic duplexing | A5-A3; 60-256 g/m ² |
| Finishing modes (optional) | Offset; group; sort; staple; punch; centre-fold; letter fold; booklet |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,800 x 600 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS), Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (via NFC for Android, via Bluetooth Low Energy for iOS devices) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|--|
| Scan speed (mono/colour) | Up to 45 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|---|-----------------|
| Copy/print speed A4 (mono/colour) | Up to 22 ppm |
| Copy/print speed A3 (mono/colour) | Up to 14 ppm |
| 1st copy out time A4 (mono/colour) | 6.8/8.4 sec. |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub C258

Colour A3 up to 25 ppm

Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52–300 g/m ² |
| Paper input capacity (standard/max) | 1,150 sheets/6,650 sheets |
| Automatic duplexing | A5-SRA3; 52–256 g/m ² |
| Finishing modes (optional) | Offset; group; sort; staple; punch; half-fold; letter-fold; booklet |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,800 x 600 dpi |
| | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (via NFC for Android, via Bluetooth Low Energy for iOS devices) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|--|
| Scan speed (mono/colour) | Up to 160 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX |
| | Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|---|-----------------|
| Copy/print speed A4 (mono/colour) | Up to 25 |
| Copy/print speed A3 (mono/colour) | Up to 15 |
| 1st copy out time A4 (mono/colour) | 6.1/7.5 sec. |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub C287

▸ Colour ▸ A3 ▸ up to 28 ppm



Functionality

Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile

Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network

Copying

- Colour
- Black & white

Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities

Corner stapling
Two-point stapling
Two-hole punching
Four-hole punching

Duplex
Combined mixplex/mixmedia
Half-fold
Sheet insertion, report

Letter-fold
Booklet
Offset sorting
Banner printing

Technical specifications

| SYSTEM SPECIFICATIONS | |
|--|---|
| System memory | 2,048 MB/4,096 MB |
| System hard disk (standard/max) | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 60-256 g/m ² |
| Paper input capacity (standard/max) | 1,100 sheets/3,600 sheets |
| Automatic duplexing | A5-A3; 60-256 g/m ² |
| Finishing modes (optional) | Offset; group; sort; staple; punch; centre-fold; letter fold; booklet |

| PRINTER SPECIFICATIONS | |
|----------------------------------|--|
| Print resolution | 1,800 x 600 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (via NFC for Android, via Bluetooth Low Energy for iOS devices) |

| SCANNER SPECIFICATIONS | |
|---------------------------------|--|
| Scan speed (mono/colour) | Up to 45 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

| COPIER SPECIFICATIONS | |
|---|-----------------|
| Copy/print speed A4 (mono/colour) | Up to 28 ppm |
| Copy/print speed A3 (mono/colour) | Up to 14 ppm |
| 1st copy out time A4 (mono/colour) | 6.8/8.4 sec. |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

| FAX SPECIFICATIONS | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub C308

Colour A3 up to 30 ppm

Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52–300 g/m ² |
| Paper input capacity | 1,150 sheets/6,650 sheets |
| (standard/max) | |
| Automatic duplexing | A5-SRA3; 52–256 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; half-fold; letter-fold; booklet |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,800 x 600 dpi |
| | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (via NFC for Android, via Bluetooth Low Energy for iOS devices) |

SCANNER SPECIFICATIONS

| | |
|------------------------|--|
| Scan speed | Up to 160 ipm |
| (mono/colour) | |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX |
| | Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 30 |
| (mono/colour) | |
| Copy/print speed A3 | Up to 15 |
| (mono/colour) | |
| 1st copy out time A4 | 5.6/7.3 sec. |
| (mono/colour) | |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub C368

Colour A3 up to 36 ppm

Functionality

Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile

Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network

Copying

- Colour
- Black & white

Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities

Corner stapling **Two-point stapling** **Two-hole punching** **Four-hole punching**

Duplex **Combined mixplex/mixmedia** **Half-fold** **Sheet insertion, report**

Letter-fold **Booklet** **Offset sorting** **Banner printing** (1.2m)

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory (standard/max) | 2,048 MB/4,096 MB |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52–300 g/m ² |
| Paper input capacity (standard/max) | 1,150 sheets/6,650 sheets |
| Automatic duplexing | A5-SRA3; 52–256 g/m ² |
| Finishing modes (optional) | Offset; group; sort; staple; punch; half-fold; letter-fold; booklet |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 x 600 dpi 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (via NFC for Android, via Bluetooth Low Energy for iOS devices) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|---|
| Scan speed (mono/colour) | Up to 160 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|---|-----------------|
| Copy/print speed A4 (mono/colour) | Up to 36 |
| Copy/print speed A3 (mono/colour) | Up to 18 |
| 1st copy out time A4 (mono/colour) | 5.6/6.9 sec. |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub C458

▸ Colour ▸ A3 ▸ up to 45 ppm



▸ Functionality

| | | | | |
|-----------------|--|---|--|-----------------|
| | <ul style="list-style-type: none"> – Colour – Black & white – PCL/PS – Local/Network | – USB | | |
| Printing | | | | |
| | <ul style="list-style-type: none"> – Colour – Black & white – Scan-to-eMail – Scan-to-Me | <ul style="list-style-type: none"> – Scan-to-SMB – Scan-to-Home – Scan-to-FTP – Scan-to-Box | <ul style="list-style-type: none"> – Scan-to-URL – Scan-to-USB – Scan-to-WebDAV – Scan-to-DPWS | – TWAIN Network |
| Scanning | | | | |
| | <ul style="list-style-type: none"> – Colour – Black & white | | | |
| Copying | | | | |
| | <ul style="list-style-type: none"> – Super G3 Fax – PC-Fax – i-Fax – IP-Fax | | | |
| Faxing | | | | |
| | <ul style="list-style-type: none"> – Reprint – Distribution – Sharing – Box-to-Box | – Box-to-USB | | |
| Box | | | | |

▸ Finishing functionalities

| | | | |
|------------------------|----------------------------------|--------------------------|--------------------------------|
| | | | |
| Corner stapling | Two-point stapling | Two-hole punching | Four-hole punching |
| | | | |
| Duplex | Combined mixplex/mixmedia | Half-fold | Sheet insertion, report |
| | | | |
| Letter-fold | Booklet | Offset sorting | Z-fold |
| | | | |
| Banner printing | | | |

▸ Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 4,096 MB |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52–300 g/m ² |
| Paper input capacity (standard/max) | 1,150 sheets/6,650 sheets |
| Automatic duplexing | A5-SRA3; 52–256 g/m ² |
| Finishing modes (optional) | Offset; group; sort; staple; punch; post insertion; z-fold; centre-fold; letter fold; booklet |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 (equivalent) x 600 dpi 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|---|
| Scan speed (mono/colour) | Up to 120/120 ipm in simplex Up to 240/240 ipm in duplex |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|---|--|
| Copy/print speed A4 (mono/colour) | Up to 45/45 |
| Copy/print speed A3 (mono/colour) | Up to 22/22 |
| 1st copy out time A4 (mono/colour) | 4.0/5.1 sec. |
| Warm-up time | Approx. 25 sec. in mono; 25 sec. in colour |
| Copy resolution | 1,200 x 1,200 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub C558

▸ Colour ▸ A3 ▸ up to 55 ppm

▸ Functionality



- Colour
- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-URL
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network

Scanning



- Colour
- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing



- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Box

▸ Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

▸ Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 4,096 MB |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity (standard/max) | 1,150 sheets/6,650 sheets |
| Automatic duplexing | A5-SRA3; 52-256 g/m ² |
| Finishing modes (optional) | Offset; group; sort; staple; punch; post insertion; z-fold; centre-fold; letter fold; booklet |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 (equivalent) x 600 dpi 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|---|
| Scan speed (mono/colour) | Up to 120/120 ipm in simplex Up to 240/240 ipm in duplex |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|---|--|
| Copy/print speed A4 (mono/colour) | Up to 55/55 |
| Copy/print speed A3 (mono/colour) | Up to 27/27 |
| 1st copy out time A4 (mono/colour) | 3.5/4.4 sec. |
| Warm-up time | Approx. 22 sec. in mono; 22 sec. in colour |
| Copy resolution | 1,200 x 1,200 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub C654e

Colour A3 up to 65 ppm



Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52–300 g/m ² |
| Paper input capacity | 3,650 sheets/6,650 sheets |
| (standard/max) | |
| Automatic duplexing | A5-SRA3; 52–256 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; post insertion; half-fold; letter-fold; booklet; z-fold |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 x 600 dpi |
| | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|------------------------|--|
| Scan speed | Up to 180 ipm |
| (mono/colour) | |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX |
| | Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 65/60 |
| (mono/colour) | |
| Copy/print speed A3 | Up to 33/30 |
| (mono/colour) | |
| 1st copy out time A4 | 3.7/5.3 sec. |
| (mono/colour) | |
| Warm-up time | Approx. 22 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub C658

▸ Colour ▸ A3 ▸ up to 65 ppm



Functionality



- Colour
- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-URL
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network

Scanning



- Colour
- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing



- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Box

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 4,096 MB |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity (standard/max) | 1,150 sheets/6,650 sheets |
| Automatic duplexing | A5-SRA3; 52-256 g/m ² |
| Finishing modes (optional) | Offset; group; sort; staple; punch; post insertion; z-fold; centre-fold; letter fold; booklet |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 (equivalent) x 600 dpi 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|---|
| Scan speed (mono/colour) | Up to 120/120 ipm in simplex Up to 240/240 ipm in duplex |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|---|--|
| Copy/print speed A4 (mono/colour) | Up to 65/65 |
| Copy/print speed A3 (mono/colour) | Up to 32/32 |
| 1st copy out time A4 (mono/colour) | 3.0/4.0 sec. |
| Warm-up time | Approx. 22 sec. in mono; 35 sec. in colour |
| Copy resolution | 1,200 x 1,200 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub C754e

Colour A3 up to 75 ppm

Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Colour
- Black & white



Faxing

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52–300 g/m ² |
| Paper input capacity | 3,650 sheets/6,650 sheets |
| (standard/max) | |
| Automatic duplexing | A5-SRA3; 52–256 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; post insertion; half-fold; letter-fold; booklet; z-fold |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 x 600 dpi |
| | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|------------------------|--|
| Scan speed | Up to 180 ipm |
| (mono/colour) | |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX |
| | Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 75/60 |
| (mono/colour) | |
| Copy/print speed A3 | Up to 37/30 |
| (mono/colour) | |
| 1st copy out time A4 | 3.6/5.3 sec. |
| (mono/colour) | |
| Warm-up time | Approx. 22 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub 3320

▀ B/W ▀ A4 ▀ up to 33 ppm



Functionality



- Black & white
- PCL/PS
- Local/Network

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-FTP
- TWAIN Network

Scanning



- Black & white

Copying



- Super G3 Fax
- PC-Fax

Faxing

Finishing functionalities



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|--|
| System memory | 256 MB |
| Interface | 10/100-Base-T Ethernet (optional) USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-163 g/m ² |
| Paper input capacity (standard/max) | 300 sheets/850 sheets |
| Automatic duplexing | A4; 60-90 g/m ² |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 30xx); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Google Cloud Print; PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|----------------------|
| Scan speed (mono/colour) | Up to 42/19 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; XPS |



COPIER SPECIFICATIONS

| | |
|-----------------------------|---------------|
| Copy/print speed A4 | Up to 33 ppm |
| 1st copy out time A4 | 6.5 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue |
| Fax resolution | Up to 600 x 600 dpi |

bizhub 4020

 B/W
  A4
  up to 40 ppm



Functionality



- Black & white
- PCL/PS
- Local/Network

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- TWAIN Network

Scanning



- Black & white

Copying



- Super G3 Fax
- PC-Fax

Faxing

Finishing functionalities



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|---|---|
| System memory (standard/max) | 512 MB/2,560 MB |
| System hard disk | 160 GB (optional) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-163 g/m ² |
| Paper input capacity (standard/max) | 350 sheets/2,000 sheets |
| Automatic duplexing | A4; 60-90 g/m ² |
| Finishing modes (optional) | Staple |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 30xx); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Google Cloud Print; PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|------------------------------------|----------------------|
| Scan speed (mono/colour) | Up to 41/19 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; XPS |

COPIER SPECIFICATIONS

| | |
|-----------------------------|---------------|
| Copy/print speed A4 | Up to 40 ppm |
| 1st copy out time A4 | 6.5 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub 4050

▸ B/W ▸ A4 ▸ up to 40 ppm



Functionality



- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-HDD
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network

Scanning



- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing

Finishing functionalities



Corner stapling



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 2,048 MB |
| System hard disk | 320 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-163 g/m ² |
| Paper input capacity (standard/max) | 650 sheets/2,300 sheets |
| Automatic duplexing | A4; 60-90 g/m ² |
| Finishing modes (optional) | Staple |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 30xx); XPS |
| Mobile printing | AirPrint (iOS), Mopria (Android); Google Cloud Print (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|----------------------|
| Scan speed (mono/colour) | Up to 45/30 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; XPS |

COPIER SPECIFICATIONS

| | |
|-----------------------------|---------------|
| Copy/print speed A4 | Up to 40 ppm |
| 1st copy out time A4 | 8.5 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |





bizhub 4750

▸ B/W ▸ A4 ▸ up to 47 ppm

Functionality



- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Scan-to-FTP
- TWAIN Network
- Black & white
- Scan-to-HDD
- Scan-to-USB
- Scan-to-SMB
- Scan-to-WebDAV

Scanning



- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing

Finishing functionalities



Corner stapling



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 2,048 MB |
| System hard disk | 320 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-163 g/m ² |
| Paper input capacity (standard/max) | 650 sheets/2,300 sheets |
| Automatic duplexing | A4; 60-90 g/m ² |
| Finishing modes (optional) | Staple |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 30xx); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|----------------------|
| Scan speed (mono/colour) | Up to 45/30 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; XPS |

COPIER SPECIFICATIONS

| | |
|-----------------------------|---------------|
| Copy/print speed A4 | Up to 47 ppm |
| 1st copy out time A4 | 8.5 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub 185

▸ B/W ▸ A3 ▸ up to 18 ppm



▸ Functionality



- Black & white
- Local
- GDI

Printing



- TWAIN Local
- WIA Scan

Scanning



- Black & white

Copying

▸ Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 32 MB |
| Interface | USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A5-A3; customised paper sizes |
| Printable paper weight | 64-157 g/m ² |
| Paper input capacity (standard/max) | 350 sheets |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---------------|
| Print resolution | 600 x 600 dpi |
| Page description language | GDI XPS |

SCANNER SPECIFICATIONS

| | |
|------------------------|---------------------|
| Scan resolution | Up to 600 x 600 dpi |
|------------------------|---------------------|

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 18 ppm |
| Copy/print speed A3 | Up to 9.1 ppm |
| 1st copy out time A4 | 8 sec. |
| Warm-up time | Approx. 29 sec. |
| Copy resolution | 600 x 600 dpi |





bizhub 226

▸ B/W ▸ A3 ▸ up to 22 ppm

▸ Functionality



- Black & white
- PCL/GDI
- Local/Network

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- TWAIN Network

Scanning



- Black & white

Copying



- Super G3 Fax
- i-Fax
- PC-Fax

Faxing

▸ Finishing functionalities



Duplex

▸ Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|--|
| System memory | 128 MB |
| Interface | 10/100-Base-T Ethernet (optional) USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A5-A3; customised paper sizes |
| Printable paper weight | 64-157 g/m ² |
| Paper input capacity (standard/max) | 350 sheets/1,350 sheets |
| Automatic duplexing | A5-A3; 64-90 g/m ² (optional) |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | GDI: 600 x 600 dpi PCL (optional): 1,200 x 600 dpi |
| Page description language | GDI; XPS Optional: PCL 6; PCL 5e |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|---------------------|
| Scan speed (mono/colour) | Up to 46/20 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF |

COPIER SPECIFICATIONS

| | |
|-----------------------------|---|
| Copy/print speed A4 | Up to 22 ppm Up to 24 ppm (from optional paper tray) |
| Copy/print speed A3 | Up to 8.0 ppm |
| 1st copy out time A4 | 6.5 sec. |
| Warm-up time | Approx. 15 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax |
| Fax resolution | Up to 408 x 392 dpi |

bizhub 227

▸ B/W ▸ A3 ▸ up to 22 ppm



Functionality

- Black & white
- PCL/PS
- Local/Network
- USB

Printing

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network

Scanning

- Black & white

Copying

- G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Box

Finishing functionalities

Corner stapling

Two-point stapling

Two-hole punching

Four-hole punching

Duplex

Combined mixplex/mixmedia

Half-fold

Sheet insertion, report

Letter-fold

Booklet

Offset sorting

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A5-A3; A6S; customised paper sizes |
| Printable paper weight | 60-220 g/m ² |
| Paper input capacity | 1,100 sheets/3,600 sheets |
| (standard/max) | |
| Automatic duplexing | A5-A3; 60-209 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; half-fold; letter-fold; booklet |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,800 x 600 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android) |

SCANNER SPECIFICATIONS

| | |
|------------------------|---|
| Scan speed | Up to 45 ipm |
| (mono/colour) | (with optional document feeder) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 22 ppm |
| Copy/print speed A3 | Up to 14 ppm |
| 1st copy out time A4 | 5.3 sec. |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub 266

▸ B/W ▸ A3 ▸ up to 26 ppm

Functionality



Printing

- Black & white
- PCL
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- Twain Network



Copying

- Black & white



Faxing

- Super G3 Fax
- i-Fax
- PC-Fax

Finishing functionalities



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|--|
| System memory | 512 MB |
| Interface | 10/100-Base-T Ethernet (optional) USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A5-A3; customised paper sizes |
| Printable paper weight | 64-157 g/m ² |
| Paper input capacity (standard/max) | 350 sheets/1,350 sheets |
| Automatic duplexing | A5-A3; 64-90 g/m ² |
| Finishing modes | Group; sort; crisscross |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 600 x 600 dpi 1,200 x 600 dpi |
| Page description language | PCL 6/5e |
| Mobile printing | PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Pairing (iOS/Android) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|---------------------|
| Scan speed (mono/colour) | Up to 46/20 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 26 ppm |
| Copy/print speed A3 | Up to 11 ppm |
| 1st copy out time A4 | 5.0 sec. |
| Warm-up time | Approx. 13 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax |
| Fax resolution | Up to 408 x 392 dpi |

bizhub 284e

▸ B/W ▸ A3 ▸ up to 28 ppm



▸ Functionality

- Black & white
- PCL/PS
- Local/Network
- USB

Printing

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network

Scanning

- Black & white

Copying

- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Box

▸ Finishing functionalities

Corner stapling

Two-point stapling

Two-hole punching

Four-hole punching

Duplex

Combined mixplex/mixmedia

Half-fold

Sheet insertion, report

Letter-fold

Booklet

Offset sorting

Banner printing

▸ Technical specifications

| SYSTEM SPECIFICATIONS | |
|----------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets/3,650 sheets |
| (standard/max) | |
| Automatic duplexing | A5-SRA3; 52-256 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; half-fold; letter-fold; |
| (optional) | booklet |
| PRINTER SPECIFICATIONS | |
| Print resolution | 1,800 x 600 dpi 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

| SCANNER SPECIFICATIONS | |
|------------------------|---|
| Scan speed | Up to 160 ipm |
| (mono/colour) | (with optional document feeder) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

| COPIER SPECIFICATIONS | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 28 ppm |
| Copy/print speed A3 | Up to 14 ppm |
| 1st copy out time A4 | 5.9 sec. |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

| FAX SPECIFICATIONS | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub 287

▸ B/W ▸ A3 ▸ up to 28 ppm

Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network



Copying

- Black & white



Faxing

- G3 Fax
- PC-Fax
- i-Fax
- IP-Fax



Box

- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion report



Letter-fold



Booklet



Offset sorting

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A5-A3; A6S; customised paper sizes |
| Printable paper weight | 60-220 g/m ² |
| Paper input capacity | 1,100 sheets/3,600 sheets |
| (standard/max) | |
| Automatic duplexing | A5-A3; 60-209 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; half-fold; letter-fold; booklet |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,800 x 600 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android) |

SCANNER SPECIFICATIONS

| | |
|------------------------|--|
| Scan speed | Up to 45 ipm |
| (mono/colour) | (with optional document feeder) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX |
| | Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 28 ppm |
| Copy/print speed A3 | Up to 14 ppm |
| 1st copy out time A4 | 5.3 sec. |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub 306

▸ B/W ▸ A3 ▸ up to 30 ppm



Functionality



Printing

- Black & white
- PCL
- Local/Network
- USB
- Mobile



Scanning

- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-USB
- Twain Network



Copying

- Black & white



Faxing

- Super G3 Fax
- i-Fax
- PC-Fax

Finishing functionalities



Duplex

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 512 MB |
| Interface | 10/100-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A5-A3; customised paper sizes |
| Printable paper weight | 64-157 g/m ² |
| Paper input capacity (standard/max) | 350 sheets/1,350 sheets |
| Automatic duplexing | A5-A3; 64-90 g/m ² |
| Finishing modes | Group; sort; crisscross |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 600 x 600 dpi 1,200 x 600 dpi |
| Page description language | PCL 6/5e |
| Mobile printing | PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Pairing (iOS/Android) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|---------------------|
| Scan speed (mono/colour) | Up to 46/20 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 30 ppm |
| Copy/print speed A3 | Up to 11 ppm |
| 1st copy out time A4 | 5.0 sec. |
| Warm-up time | Approx. 13 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax |
| Fax resolution | Up to 408 x 392 dpi |



bizhub 364e

▸ B/W ▸ A3 ▸ up to 36 ppm

Functionality



- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network

Scanning



- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing



- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Box

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets/3,650 sheets |
| (standard/max) | |
| Automatic duplexing | A5-SRA3; 52-256 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; half-fold; letter-fold; booklet |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 x 600 dpi |
| | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|------------------------|--|
| Scan speed | Up to 160 ipm |
| (mono/colour) | (with optional document feeder) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX |
| | Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 36 ppm |
| Copy/print speed A3 | Up to 18 ppm |
| 1st copy out time A4 | 5.3 sec. |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS






| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub 367












▸ B/W ▸ A3 ▸ up to 36 ppm



▸ Functionality

| | | |
|---|--|---|
|  Printing | – Black & white – PCL/PS – Local/Network – USB | – Mobile |
|  Scanning | – Colour – Black & white – Scan-to-eMail – Scan-to-Me | – Scan-to-SMB – Scan-to-Home – Scan-to-FTP – Scan-to-Box |
|  Copying | – Black & white | |
|  Faxing | – G3 Fax – PC-Fax – i-Fax – IP-Fax | |
|  Box | – Reprint – Distribution – Sharing – Box-to-Box | |

▸ Finishing functionalities

| | | | |
|---|---|---|---|
|  Corner stapling |  Two-point stapling |  Two-hole punching |  Four-hole punching |
|  Duplex |  Combined mixplex/mixmedia |  Half-fold |  Sheet insertion, report |
|  Letter-fold |  Booklet |  Offset sorting | |

▸ Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A5–A3; A6S; customised paper sizes |
| Printable paper weight | 60–220 g/m ² |
| Paper input capacity | 1,100 sheets/3,600 sheets |
| (standard/max) | |
| Automatic duplexing | A5–A3; 60–209 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; half-fold; letter-fold; booklet |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 x 600 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android) |

SCANNER SPECIFICATIONS

| | |
|------------------------|---|
| Scan speed | Up to 45 ipm |
| (mono/colour) | (with optional document feeder) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 36 ppm |
| Copy/print speed A3 | Up to 18 ppm |
| 1st copy out time A4 | 4.3 sec. |
| Warm-up time | Approx. 20 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub 454e

▸ B/W ▸ A3 ▸ up to 45 ppm

Functionality



- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- Scan-to-DPWS
- TWAIN Network

Scanning



- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing



- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Box

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion report



Letter-fold



Booklet



Offset sorting



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets/3,650 sheets |
| (standard/max) | |
| Automatic duplexing | A5-SRA3; 52-256 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; half-fold; letter-fold; booklet |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 x 600 dpi |
| | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|------------------------|--|
| Scan speed | Up to 80 ipm in simplex |
| (mono/colour) | Up to 160 ipm in duplex |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX |
| | Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 45 ppm |
| Copy/print speed A3 | Up to 22 ppm |
| 1st copy out time A4 | 4.6 sec. |
| Warm-up time | Approx. 25 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |

bizhub 554e

▸ B/W ▸ A3 ▸ up to 55 ppm



Functionality



- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Scan-to-SMB
- Scan-to-USB
- Black & white
- Scan-to-Home
- Scan-to-WebDAV
- Scan-to-eMail
- Scan-to-FTP
- Scan-to-Me
- Scan-to-Box
- TWAIN Network

Scanning



- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing



- Reprint
- Box-to-USB
- Distribution
- Sharing
- Box-to-Box

Box

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing
1.2 m

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets/3,650 sheets |
| (standard/max) | |
| Automatic duplexing | A5-SRA3; 52-256 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; post insertion; half-fold; |
| (optional) | letter-fold; booklet; z-fold |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 x 600 dpi 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|------------------------|---|
| Scan speed | Up to 80 ipm in simplex |
| (mono/colour) | Up to 160 ipm in duplex |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 55 ppm |
| Copy/print speed A3 | Up to 27 ppm |
| 1st copy out time A4 | 4.1 sec. |
| Warm-up time | Approx. 22 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub 654e

▸ B/W ▸ A3 ▸ up to 65 ppm

Functionality



- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-Me
- Scan-to-SMB
- Scan-to-Home
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- Scan-to-WebDAV
- TWAIN Network
- Scan-to-DPWS

Scanning



- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing



- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Box

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|-------------------------------|---|
| System memory | 2,048 MB/4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 3,650 sheets/6,650 sheets |
| (standard/max) | |
| Automatic duplexing | A5-SRA3; 52-256 g/m ² |
| Finishing modes | Offset; group; sort; staple; punch; post insertion; half-fold; letter-fold; booklet; z-fold |
| (optional) | |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 x 600 dpi |
| | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |

SCANNER SPECIFICATIONS

| | |
|------------------------|--|
| Scan speed | Up to 90 ipm in simplex |
| (mono/colour) | Up to 180 ipm in duplex |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX |
| | Optional: searchable PDF; PDF/A 1a and 1b; searchable DOCX/PPTX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 65 ppm |
| Copy/print speed A3 | Up to 33 ppm |
| 1st copy out time A4 | 3.7 sec. |
| Warm-up time | Approx. 22 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|-------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub 758

▸ B/W ▸ A3 ▸ up to 75 ppm

Functionality



- Black & white
- PCL/PS
- Local/Network
- USB

Printing



- Colour
- Black & white
- Scan-to-eMail
- Scan-to-SMB
- Scan-to-FTP
- Scan-to-Box
- Scan-to-USB
- TWAIN Network
- Scan-to-Me
- Scan-to-Home
- Scan-to-WebDAV
- Scan-to-DPWS

Scanning



- Black & white

Copying



- Super G3 Fax
- PC-Fax
- i-Fax
- IP-Fax

Faxing



- Reprint
- Distribution
- Sharing
- Box-to-Box
- Box-to-USB

Box

Finishing functionalities



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing

Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 4,096 MB |
| (standard/max) | |
| System hard disk | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet |
| | USB 2.0 |
| | Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity (standard/max) | 3,650 sheets/6,650 sheets |
| Automatic duplexing | A5-SRA3; 52-256 g/m ² |
| Finishing modes (optional) | Offset; group; sort; staple; punch; post insertion; z-fold; centre-fold; letter fold; booklet |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print resolution | 1,800 x 600 dpi |
| | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print (optional); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile); NFC Authentication and Pairing (Android) |

SCANNER SPECIFICATIONS

| | |
|---------------------------------|--|
| Scan speed (mono/colour) | Up to 240 ipm |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; compact PDF; encrypted PDF; XPS; compact XPS; PPTX; searchable PPTX |
| | Optional: PDF/A 1a and 1b; searchable PDF; searchable DOCX/XLSX |

COPIER SPECIFICATIONS

| | |
|-----------------------------|-----------------|
| Copy/print speed A4 | Up to 75 |
| Copy/print speed A3 | Up to 37 |
| 1st copy out time A4 | 3.6 sec. |
| Warm-up time | Approx. 22 sec. |
| Copy resolution | 600 x 600 dpi |

FAX SPECIFICATIONS

| | |
|-------------------------|---|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax (RFC3949-C); IP-Fax |
| Fax resolution | Up to 600 x 600 dpi |



bizhub C3100P

▸ Colour ▸ A4 ▸ up to 31 ppm



▸ Functionality



Printing

- Colour
- Black & white
- PCL/PS
- Local/Network
- USB

▸ Finishing functionalities



Duplex

▸ Technical specifications

SYSTEM SPECIFICATIONS

| | |
|---|---|
| System memory (standard/max) | 1,024 MB/2,048 MB |
| System hard disk | 320 GB (optional) |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity (standard/max) | 350 sheets/850 sheets |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print resolution | 1,200 x 1,200 dpi 600 x 600 dpi |
| Page description language | PCL 6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016) Optional: XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); WiFi Direct (optional); Konica Minolta Print Service (Android); PageScope Mobile (iOS/Android/Windows 10 Mobile) |



bizhub 3301P

▸ B/W ▸ A4 ▸ up to 33 ppm



▸ Functionality



Printing

- Black & white
- PCL/PS
- Local/Network

▸ Finishing functionalities



Duplex

▸ Technical specifications

SYSTEM SPECIFICATIONS

| | |
|--|---|
| System memory | 128 MB |
| Interface | 10/100-Base-T Ethernet IEEE 1284 Bidirectional Parallel USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-163 g/m ² |
| Paper input capacity (standard/max) | 300 sheets/850 sheets |
| Automatic duplexing | A4; 60-90 g/m ² |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|---|
| Print speed A4 | Up to 33 ppm |
| 1st print out time A4 | 6.5 sec. |
| Print resolution | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PostScript 3; XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Google Cloud Print; PageScope Mobile (iOS/Android/Windows 10 Mobile) |



bizhub 3301P

bizhub 4000P

▸ B/W ▸ A4 ▸ up to 40 ppm



▸ Functionality



Printing

- Black & white
- PCL/PS
- Local/Network

▸ Finishing functionalities



Duplex

▸ Technical specifications

SYSTEM SPECIFICATIONS

System memory 256 MB/1,280 MB
(standard/max)

Interface 10/100/1,000-Base-T Ethernet
USB 2.0
Wi-Fi 802.11b/g/n (optional)

Printable paper size A6-A4; customised paper sizes

Printable paper weight 60-163 g/m²

Paper input capacity 350 sheets/2,000 sheets
(standard/max)

Automatic duplexing A4; 60-90 g/m²

PRINTER SPECIFICATIONS

Print speed A4 Up to 40 ppm

1st print out time A4 6.5 sec.

Print resolution 1,200 x 1,200 dpi

Page description language PCL 6 (XL 3.0);
PostScript 3; XPS

Mobile printing AirPrint (iOS); Mopria (Android);
Konica Minolta Print Service (Android); Google Cloud Print;
PageScope Mobile (iOS/Android/Windows 10 Mobile)



bizhub 4000P

bizhub 4700P

▸ B/W ▸ A4 ▸ up to 47 ppm



▸ Functionality



Printing

- Black & white
- PCL/PS
- Local/Network
- USB

▸ Finishing functionalities



Duplex

▸ Technical specifications

SYSTEM SPECIFICATIONS

| | |
|---|---|
| System memory (standard/max) | 256 MB/1,280 MB |
| Interface | 10/100/1,000-Base-T Ethernet USB 2.0 Wi-Fi 802.11b/g/n (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-163 g/m ² |
| Paper input capacity (standard/max) | 350 sheets/2,300 sheets |
| Automatic duplexing | A4; 60-90 g/m ² |

PRINTER SPECIFICATIONS

| | |
|----------------------------------|--|
| Print speed A4 | Up to 47 ppm |
| 1st print out time A4 | 6.5 sec. |
| Print resolution | 1,200 x 1,200 dpi |
| Page description language | PCL 6 (XL 3.0); PostScript 3; XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Google Cloud Print; PageScope Mobile (iOS/Android/Windows 10 Mobile) |





KONICA MINOLTA

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Your Konica Minolta Business Solutions Partner:

Konica Minolta
Business Solutions Europe GmbH
Europaallee 17
30855 Langenhagen 🇩🇪 Germany
Tel.: +49 (0) 511 74 04-0
Fax: +49 (0) 511 74 10 50
www.konicaminolta.eu